

**TECHNICAL DATA** 

# Fluke Networks MicroScanner™ PoE Industrial Ethernet Cable Verifier



## **Key features**

- Perform Cable Testing on Industrial Ethernet Networks (including Ethernet/IP, Profinet, EtherCat based systems)
- Display cable length, wiremap and distance to fault
- Display network switch speeds up to 10G and PoE
- Locate and trace cable with toning (probe sold separately)
- Report PoE class (0-8)

## Product overview: Fluke Networks MicroScanner™ PoE Industrial Ethernet Cable Verifier

The Fluke Networks MicroScanner™ PoE Industrial Ethernet Cable Verifier performs continuity tests on RJ45, M12X, M12D, and M8D terminated cables in a few seconds and displays results graphically so you can see opens, shorts, and crossed wires.

The MS-POE also quickly determines if a problem is caused by insufficient power or the powered device. Cable and power failures result in costly production downtime so it's important to quickly identify where the cable is broken so it can be replaced or repaired.

Includes Duffle Bag, Multi-Connector Adapter, Cat6A patch cord, RJ45 male to RJ45 female patch cord, RJ45/M12X patch



cord, RJ45/M12D patch cord, RJ45/M8D patch cord for testing of M12X, M12D, M8D terminated cables.

# Specifications: Fluke Networks MicroScanner™ PoE Industrial Ethernet Cable Verifier



## **Ordering information**



#### **MS-POE-IE**

MS-POE-IE Cable Verifier

#### Includes:

- MicroScanner™ PoE Industrial Ethernet Basic Kit with Duffle Bag
- Multi-Connector Adapter
- Cat6A patch cord
- RJ45 male to RJ45 female patch cord
- RJ45/M12X patch cord
- RJ45/M12D patch cord
- RJ45/M8D patch cord for testing of M12X
- M12D
- M8D terminated cables



### $\textbf{Fluke}. \ \textit{Keeping your world up and running.} \\ \textbf{@}$

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call: In the U.S.A. (800) 443-5853

In Canada (800) 36-FLUKE From other countries +1 (425) 446-5500 www.fluke.com ©2025 Fluke Corporation.

Specifications subject to change without notice.

06/2025

Modification of this document is not permitted without written permission from Fluke Corporation.