

Product Family CHAINEXTRA

Stainless steel chainmail (4mm) with interchangeable plastic strap. Food contact.

Honeywell

Product Numbers & Ordering Information								
	Product Numbers	Details						
4	254200XR0302	CHAINEXTRA Stainless steel metal mesh (4mm). Plastic strap. Reversible						
ME	254241XR0302	CHAINEXTRA Small cuff Stainless steel metal mesh (4mm). Plastic strap. 10 cm metal mesh cuff. Reversible.						
THE STATE OF THE S	254251XR0302	CHAINEXTRA Medium cuff Stainless steel metal mesh (4mm). Plastic strap. 16,5 cm metal mesh cuff. Reversible.						
THE STATE OF THE S	254231XR0302	CHAINEXTRA Long cuff Stainless steel metal mesh (4mm). Plastic strap. 21 cm metal mesh cuff. Reversible.						
	254271XXX302	CHAINEXTRA with sleeve Stainless steel metal mesh (4mm). Plastic strap. Long metal mesh sleeve. Left and right hand.						

Additional Information

Each glove has a colour code for the size.

Packaging Information

Every glove is packaged in a bag or a case on which is pasted a tag indicating the model, together with a multilingual instruction for use in 21 languages

Overview

Key Features

The chainextra line features stainless steel metal mesh gloves with interchangeable plastic strap.

COMFORT

The plastic strap is very flexible and adapts to all wrist sizes to ensure comfort. This reversible model can be worn on the left or the right hand (just turn it inside-out).

SAFETY

The plastic strap of CHAINEXTRA is notched to avoid the adjusting buckle sliding to provide better protection for the user.

HYGIENE

An anti-bacterial agent is used in the manufacture of the plastic strap to help avoid contamination. The stainless steel and the plastic straps are approved for use in contact with food.

Recommended Industries/Use

Food Services

Hazards

• Cut / Puncture

Regulations

- Gant de protection EPI Catégorie 2 (Directive européenne 89/686/CEE) -
- Standards EN 1082 Gloves and arm guards protection against cuts and stabs by hand knives
- Food contact -

Historical Brand

Chainex

Warranty Information

Honeywell warrants that it's Honeywell Protective Gloves are free from defects in material and workmanship. This limited warranty does not cover any product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any component made of rubber or any other elastomer. The limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product.

Specifications

Materials

• Stainless steel chainmail (4mm)

Literature & Documents

ChainExtra Stainless Steel wrist glove

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/Metal_Mesh/4294998618/1033.aspx

ChainExtra Stainless Steel long cuff glove

 $http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/Metal_Mesh/4294998614/1033.aspx$

ChainExtra Stainless Steel medium cuff glove

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/Metal_Mesh/4294998616/1033.aspx

CHAINEXTRA

EQ.	F0	FQ.	F0	E0	FQ.	F0_	F0.	E0	F0	FQ.	FQ.	E9 🗖	_	_
841	6-4 L	ЬН	8.4	D-19	Dial.	6.4	lo di l	B-1	64	IN HILL	ЬΗ	64		

ChainExtra Stainless Steel short cuff glove

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/Metal_Mesh /4294998617/1033.aspx

ChainExtra Stainless Steel hand to shoulder

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/Metal_Mesh/4294998613/1033.aspx

Training & Proper Use

Does not contain any allergenic substances

To ensure optimum protection, Honeywell gloves should be kept in perfect condition for use.

Cleaning: At least once a day Chainex gloves should be scrubbed vigourosly at least once a day with hot soapy water (50°C) or in a mixture of hot water (50°C) and detergent.

Rinsing at 82°C minimum. Desinfection with an approved product.

They can also be cleaned in a washing machine.

Do not clean chainmail protective gloves and metal chainmail protective gloves by knocking them against a hard surface.

Any glove showing signs of abnormal wear or missing chainmail must be replaced immediately by a glove in good condition.

Only the manufacturer is authorised to repair defective gloves or to declare a glove beyond repair.

Technical Support

info-nordic.hsp@honeywell.com info-uk.hsp@honeywell.com info-export.hsp@honeywell.com info-hungary.hsp@honeywell.com info-hungary.hsp@honeywell.com info-russia.hsp@honeywell.com info-spain.hsp@honeywell.com

© Honeywell International Inc.